SUBJECT: Project Tektite Behavior Observer's Handbook - Case 730

DATE: April 14, 1969

FROM: N. Zill

MEMORANDUM FOR FILE

The attached document is the training handbook for the behavior observers in Project Tektite. It was prepared by Lt. R. Mach and Dr. R. Radloff of the Naval Medical Research Institute and the undersigned. Although written specifically for the observers, it provides a good picture of the kind of behavioral monitoring being done in Tektite.

The behavioral data, punched directly onto preperforated IBM cards by the observers, is sent to Bellcomm weekly, where it is copied, sorted, edited, and stored on magnetic tapes. Analysis of the data will be carried out at N.M.R.I., Bellcomm, and by Dr. R. Helmreich at the University of Texas.

Other parts of the Tektite Behavior Program, formulated by NASA and Navy Psychologists,* include:

- EEG Sleep analysis, (Navy Medical Neuropsychiatric a) Research Unit and NASA Manned Spacecraft Center);
- b) measurement of aquanaut performance on the Langley-OART psychomotor device;
- recording of unusual events on videotape, and in a c) written log;
- habitability and sociometric questionnaires; d)
- use of engineering, medical, and marine science data e) to elucidate behavioral findings.

1011-NZ-qdn

Attachment

Tektite Behavior Observer's Handbook

(NASA-CR-106039) PROJECT TEKTITE BEHAVIOR OBSERVER'S HANDBOOK (Bellcomm, Inc.) 49 P N79-72996

00/48

Unclas 11535

^{*}See, Zill, N., The Tektite Project Behavior Program, Bellcomm Memorandum for File, April 11, 1968.



BEHAVIOR OBSERVER'S HANDBOOK.

TABLE OF CONTENTS

	Pa	ge .
General Introduction	1,	2, 3
Location Record Instructions	4.	
Location Record Template	5	
Conversational Record Instructions	6,	7, 8
Transit Record Instructions	9	
Transit Record Template	10.	
Meal Behavior Instructions	11	
Meal Behavior Template	12	
Dive Record Instructions	13	
Dive Record Template	14	
Communication w/ Topside Instructions	15	
Communication w/ Topside Template	16	
Time of Arising and Time of Retifing Instructions and representative template	17	
EEG Electrode Hookup Instructions and Template	18	
Electronically Monitored Facilities Usage and Template	- 19	
Electronically Monitored Facilities Usage Checklist	20	
Pressure Pot Usage Instructions and Template	21	
Pressure Pot Usage Checklist	22	
Biomedical Monitoring Instructions and Template	23	
Biomedical Monitoring Checklist	24	
Adherence to Watch Instructions and Template	25	
Adherence to Watch Checklist	26	

TABLE OF CONTENTS (continued)

	Page	
Maintenance of Self and Habitat Instructions and Template	. 27	
Maintenance of Self and Habitat Checklist	. 28	
Potential Winch Usage Instructions and Template	. 29	
Potential Winch Usage Checklist	. 30	
Number of Pieces of Mail Instructions and Template	. 31	
Sick Call Instructions and Template	. 32	
Mood adjective Checklist Instructions and Transfer Template	. 33	
Appendix		
Measure Priorities Listing	. 34	
Glossary of Terms	. 35, 3	36
TEKTITE Compartment Sectioning	. 37	, -
Instructions for the use and care of the IBM Information Recorder	. 38,	39
What Constitutes Biomedical Monitoring.		
Confidentiality	42	
Mood Adjective Checklist Form	. 43	
Research Assistant Team Shift Schedule	. 44	

TEKTITE I is a project conceived by a number of Government agencies to explore the feasibility of marine scientific research being done by men living on the ocean's floor. Such a project offers a truly unparalleled opportunity for other scientific agencies to, in turn, study the aquanauts living in the sea. To this end a number of physicians, physiologists, and psychologists have collaborated in making this many faceted scientific study of men-underthe-sea by far the most comprehensive ever.

Observer's contribution

Having volunteered, you have been given orders to St. John to participate in this project as a scientific observer with the behavioral program. The observer will collect varied and unique kinds of scientific information as directed by the behavioral scientists. The primary purpose of this manual is to acquaint the observer with each of these psychological measures. However, it also deals with information on what kind of work schedule to expect; the kind of equipment you can expect to handle; a glossary of terms, often psychological in nature, which will contribute to your effectiveness as a behavioral observer; and various other information.

The six observers will be split into three two-man teams. Teamwork will play a large part in the overall success of our project . . . for this will become your project too. Your team will either work two four-hour shifts during the day or you, yourself, will work a four-hour "graveyard" shift. Some of the equipment that will be employed during this operation includes a video tape recorder, television cameras and receivers, IBM information recorders, observer consoles, and a PR-10 audio tape recorder. Although, at present you may know little if anything about these kinds of equipment - you will shortly. This manual will not handle operating procedures for any of the equipment because a first hand demonstration outweighs any written instruction.

The Data Collection Setting

The great majority of all of the behavioral data collection will be done within the command van. This van is located on a special wharf built right next to the cliff forming the southeastern corner of Greater Lameshur Bay, which in turn, is located on the southern shore of St. Johns Island. The van is divided in two, one section being the command station, the other the behavioral monitoring station. The command station will be manned at all times by a test director. His mission is to continually maintain the safety of the men in the habitat and in the sea. The behavioral observers will work in the behavioral monitoring station. This station will be connected with the underwater habitat, TEKTITE I, in a number of ways. Closed circuit television cameras will send back pictures of each of the four main compartments in the habitat as well as activity in the sea. Microphones in each compartment (see appendix for representation of habitat) pick up the conversations of the aquanauts and an intercomm system from habitat to command station will allow the behavioral monitors to listen to aquanaut communication with topside, usually with the test director.

The underwater habitat (see appendix) could be described as two large cans or canisters connected by a tunnel between the upper decks. Each of the four major compartments have rather unique and specific functions. The CQ, crew quarters, offers sleeping and eating area plus food storage and preparation and recreation facilities. The bridge compartment above serves as a watch standing. - facility offering communication lines to the surface, closed circuit TV monitors focused on the area outside of the habitat, and contains scientific equipment for recording reports and doing scientific micro-analysis. The engine room or ECS (environmental control system) across the tunnel from the bridge primarily contains the large machinery committed to maintaining a comfortable and safe habitat environment. This compartment also contains a storage freezer, and the head. There is a small secondary compartment directly above the engine room. This is the observation cupola. The final compartment is the wet lab. This area allows ingress and egress to the sea through the hatchway, serves as the major work space, and contains research and marine equipment and the shower.

The preceding habitat description was necessarily very sketchy. During a comprehensive pre-dive observer briefing, the investigators will describe the entire habitat in a good deal more detail. (see appendix for floor plan and cutaway view)

There are two major methods used in collecting behavioral information. Some data can be recorded after the fact (off-line) while most of the data will be noted as it occurs (on-line collection). One or the other of two devices will be employed in recording any particular measure. The check-list is a paper and pencil recording. The IBM information recorder allows the observer to punch important called for information directly onto IBM cards. The most important instruction that can be given about filling out the checklist is to

print clearly. Instructions regarding the information recorder are included in a separate booklet affixed to this manual and one page of the appendix is devoted to special instructions concerning the device.

Each observer team will be responsible for recording up to 18 unique measures during their daily duties. Some of these measures are very easy to spot and record such as "time of retiring" while others which often occur spontaneously such as the dive record are much more difficult to identify and record. The bulk of the manual is concerned with discussing each of the measures in detail.

On each team, one man (the secondary observer) will be specifically engaged in getting the location and conversation records. When he isn't busy with these two especially critical measures he will help out the primary observer with the other measures. Occasionally this observer will find a number of behaviors to be measured occurring simultaneously. The secondary observer may be busy with one or the other of his critical measures and cannot assist. In such a situation, the observer should refer to the measure priorities listing in the appendix which indicates which of the then occurring measures is of highest priority. The data included in that measure should be recorded without fail. If comparatively complete data on some of the other measures can be also collected without jeopardizing the highest priority data collection, then this should also be accomplished.

During the next 64 days you may well learn more about more things than in any comparable period in your life. You can obtain a bird's eye view into the fields of oceanography, geological and biological marine research, physiology, medicine, and psychology, and develop facility in the use of many types of equipment. However, most critical to your success here as an observer is how quickly you learn each of the meanings of and all of the items in the behavioral measures.

Your commitment to the success of our project within a greater project is even more important. The next two months will be challenging ones with little time for non-scientific pursuits, but at its close you may well say you have in some way contributed to developing undersea resources, to analyzing man's ability to live in an alien realm in a unique environment and, perhaps indirectly, to establishing initial stages of a new frontier in food production - the sea. Who knows? One thing is certain however, at the dive's end you should have every right to feel proud of your unique contribution.

LOCATION RECORD

This measure focuses on each of the four aquanauts at specific, predetermined times throughout each 24 hour day. Each day's recording times comprise a list which will be supplied to the observers at the beginning of each new day. Each record time is to the minute at which the observer begins recording. Approximately 30 seconds prior to the sampling minute, (use clock alarm as reminder) the observer should familiarize himself with the general whereabouts of each man, in general what he seems to be doing, and whether he is in conversation with other aquanauts or topside. This thirty second prep period will sensitize the observer to the specific items covered by the location record and aid in making quick, accurate judgements. Also, during this period the observer can be punching in the measure identification, the date, and the recording time to the correct minute.

When the recording minute comes due as indicated by the 24-hour clock, look quickly at the television monitors and observe, for approximately two seconds, aquanaut #1. Try to form a picture in your mind of (1) where he is located according to the TEKTITE I deck sectioning schematic (it is important to become very familiar early with this illustration) at the end of two second period, (2) which of the work status categories his behavior would place him in at that moment and, (3) is he talking or listening to another aquanaut of topside during the 2-second period. Having made these three decisions, punch the data using the location record template. Become especially familiar with its organization.

Do this for each of the other three aquanauts.

You, undoubtedly have noted other measures on the location record template. These are contingency or dependent measures; that is the only time you would record bunk curtain closure is when an aquanaut is in bed. The blocked, inoperative camera measure is recorded only when one of the four habitat cameras is in fact blocked out or inoperative.

Once the observer becomes thoroughly familiar and comfortable with what he is to do such a record should take less than a minute to complete. The observer should be forwarned that infrequently two recording times will occur, one immediately after the other. Being aware of this ahead of time by prior examination of the list will prevent being surprised at missing a sampling period.

# :	
LOCATION RECORD # 30	

FEFNO						Ĭ	2		00 #)			٠	
CO - CREW OUARTERS 8 + BRIDGE			•				LOCATION	<u>.</u>		•				
T. TUNNEL CU. CUPOLA	.O ,	DEC		RECORDING	Ş	MAN MAN		# WAN	WORK STATUS	# NAN	IF MAN IN	WAN #	Ö	
CONTROL SYSTEM	MSR NOV	ğ	DAY	- H	z	MENT	4	CTICN CTICN	CATEGORIES	2 3 4	AMT. OF CURTAIN CLOS	1234	•	
WAT • WATER DEFINITIONS	0	00	000		0	000000000		00000	DIR. WATH, RSRCH OOOO	0000	FULLY OPEN	0000		
DIRECT MAR HSRCH	_	Ö	00	0000		000	000	0000	OOOO MARN, RSRCH SPPT OOO O 1/4 CLOSED	0000		0000	• 4	
HANDEING, ACTIVITIES INSEA	2	0	\mathbf{O}	000	0	000	0	0000	0 0 0 1 0 0 0 0 2 0 0 0 0 0 0 0 0 0 0 0	0000	CLOSED	0000	-	
MARIN REJICH SUPPORT	30	0.	0	0	ō	00000000		30000	OOO HABIT MAINT/REPR OOO 344TH CLOSED	0000		0000	WAN #	
FILLING TANKS, READING JOURNALS, REPAIR AND	4	O	0	0	Ö	00000000	0	4 0 0 0 0	WATCH STNDG	0000	0000 GENTIN CLOSED 0000	0000	- 2 3 4	
READYING OF EQUIP	S	0	0	0	0	000 1000		5 0000	SELF MAINTNC.	0000	OOO TALKING WITH OTHER ADUAN.		0000	
BIOMED SAMPLING, EEG	9	0	0	0	Õ	00000		60000	RECREATION	0000	OOO O IISTENING TO OTHER AQUAN		0000	
PSYCH QUESTIONNAIRES	7	ž į	0	0	O O	000	0	O 000 2 000 0 0 0 0 0 0 0 0 0 0 0 0 0 0	RELX, REST, SLEEP O O O O	0000	TALKING WITH TOPSIDE		0000	
HANNTAT MAINT / HEPAIR HOUSE KEEPING, REPAIRS	8	5	0	o	0	O Dundor	O	O O O O 0003	IN TRANSIT	0000	OOO C LISTENING TO TOPSIDE		0000	
REFURBISHING OF ECS		<u>.</u>	0	Ó	0	O CREW QURT	O A	W100000W	DN'T KNOW	0000	OOO O NOT COMMUNICATING		0000	
	5		_		-	BLOCKED OR INOPERATIVE CAMERA	CAMERA	-			COMMUNIC	E STAT	0;	
				-										

" IF COMPARTMENT CAMERA BLOCKED OR INOPERATIVE PUNCH APPROP AREA. IF ADUANAUT CANNOT BE LOCATED, PUNCH DON'T KNOW IN COMPAHTMENT CATEGORIES

. _ 5

CONVERSATIONAL RECORD

This measure focuses on the conversation among the aquanauts, whether in two, three, or four man groups. The data will be collected through use of a tape recorder and tone generator. This measure and the location record are the two most important measures of the entire behavioral program. Therefore, it is imperative that the observer soon become adept at the procedure involved with recording this measure.

Sampling Procedure

There are only certain periods during which conversational sampling may go on. The observer refers to the location record sampling schedule to identify these periods. They are noted as a red line between any two clock times on the schedule. The time above indicates the beginning of the period, the time below, the end of the period.

The observer, whose prime responsibility it is to take the conversational record, is also responsible for the location record. Thus, during a conversational sampling period the first minute will be taken up completing the location record. That observer is then available to sample conversation. There are a number of rules to follow in sampling.

- (1) A conversation is an interaction between two or more aquanauts that appears to be of some duration rather than few passing comments.
- (2) The observer should attempt to record 3 minutes of continuous conversation within a sampling period which ranges in length from 6 to 29 minutes.
 - (3) Habitat conversations are not scheduled. The observer has no control over them. Thus, the observer can expect one of three conditions to exist during the sampling period.
 - (a) Conversation is in progress as the observer becomes ready to record.
 - (b) Conversation begins later in the sampling period.
 - (c) There is no conversation during the sampling period.
 - (4) Such conditions then demand the observer's sensitive attention to conversations arising during a sampling period.

- (5) If the observer records a conversation which lasts less than 2 minutes he should record the next conversation which arises during the period. If the conversation is greater than 2 minutes but less than 3 minutes, then the observer need not record another conversation within that period.
- (6) If a conversation begins less than 90 seconds before the beginning of the next location record (the end of the conversational sampling period) the observer is not to record.

If the observer follows these guidelines, he should experience little trouble in sampling conversation.

Recording Materials

In recording a conversation the observer will be required to use a tape recorder and a tone generator. The tape recorder will record the voices of the conversation on one track of the tape while the observer-operated tone generator will produce tones for recording on a parallel track of the tape. The investigators will instruct you in the use of the tape recorder. The tone generator has button controls. Four of these buttons each represent the voice of a different aquanaut. The observer's task during actual conversation recording is to press any particular aquanaut's button when he is talking and only when he is talking. That is, the appropriate button is depressed immediately when the particular aquanaut begins to speak and released just as quickly when he ceases speaking. The light above each button indicates when the pressed button is, in fact, generating a tone. These taped tones will later be converted by a device to numbers making them suitable for computer analysis. The fifth button is used to register the start of a conversational recording and the sixth button registers the end of a particular recording.

Recording Procedure

The observer should observe, in order, the following operations in actually recording a conversation.

- 1. Check to insure the tape recorder is on
- 2. Switch on behavioral station comments microphone
- 3. Start recorder
 - 4. Tape the following observations
 - (1) The date
 - (2) The time
 - (3) Which compartment
- (4) Who are the initial conversational participants
 5. Punch start code using appropriate tone generator button

- 6. Switch to habitat microphone monitoring conversation
- 7. Record conversation pressing and depressing aquanaut buttons appropriately
- 8. When either conversation appears to be finished or 3 minute quota of conversation is reached, punch out stop code using appropriate tone generator button.
- 9. Switch off habitat microphone
- 10. Switch to comments microphone. Indicate this conversation is complete by saying "This conversational sampling period is complete. The date is _____, the time is _____."
- 11. Stop tape recorder.
- 12. Rewind tape slightly. Put on play mode. Check to see that both channel A and B are recording.

DO NOT ATTEMPT TO PLAY BACK ON RECORD MODE!! YOU WILL ERASE THE TAPE.

TRANSIT RECORD

This measure will be collected by use of appropriate templates on-line. It focuses on the transits of each aquanaut between decks, through the tunnel, and in and out of the habitat. Each of the ten possible transits are schematized on the transit template. The double template arrangement allows the observer to move immediately from recording on one punch card to recording on the next. This flexibility is especially desirable when the observer finds himself near the end of either of the two tiers of the template and his hands full with a large number of transits within a very short time.

On the two cards in the information recorder it is possible to record four sets of transit units, with five units in each set. A transit unit is the passage of one man from one compartment to another. In recording transit data, first punch measure ID, month and day. These data should be punched whenever a fresh card is inserted in either the "upper" or "lower" slot of the information recorder. When the first transit occurs, that is, a man moves from one compartment to another, record, by punch, the hour and minute to the nearest whole minute. Do not record (We have changed our minds since the original design of this template.) In the column labelled aquanaut, punch the number of the man who moves first from one compartment to another. In the next column, labelled transit, punch the number identifying the movement he made, for example 0 = Crew quarters to bridge, 1 = bridge to crew quarters and so on. If one man makes a "continuous" trip involving two or more transit units, record this trip in adjacent columns. If a second man accompanies him, record his trip in the same way. When five transit units have been Tecorded or when more than one minute has elapsed since the last transit unit was recorded, whichever comes first, punch a new hour and minute identification. This may mean that from one to four transit units will be left blank in each block between time signatures. The only exception to recording the nearest minute will occur during very high density transits. This should occur very rarely. Say, for example, that all four men move simultaneously from crew quarters to the wet lab within one minute. This means that twelve transit units will be recorded in one minute. It will be necessary to record this mass movement on two cards. Each card must have a different time signature or we cannot identify which came first. Therefore, if such high density transits occur you should arbitrarily increase the time punched in the second card by one minute. In other words, never punch the same hour and minute on two consecutive cards.

TRANSIT RECORD (continued)

In general, recording transits should be done in response to the "natural" flow of events. In addition, we are interested in identifying to the nearest minute when each transit took place. This may mean a considerable number of blank spaces during low density periods of recording.

Be sure to include punching the measure ID and the entire date, or the data on the punched cards becomes virtually unidentifiable and meaningless.

This is a high priority measure ranking in importance only behind the location record and conversational sampling.

								_							٠.				1			
								•				-					.~-					
· · · · · · · · · · · · · · · · · · ·	Cisa	70±0	ing it Server Live	ŢFIRS	T TRA	່ງ MSIT	 [AQUANAL	ŢŔ Û	ANS	IT I	REC I	OF	- I TR/	# 31	MRT	1	AQU			· · · · · ·	, O
·	IQ 4	120V	DAY	HR	MIN			=			,			HR	MIN S	7	_	POUANAUT				
- AQUANT. ID = -TRANSIT	1 6	1 -	00		000	,	0	0 20	0 00	00		000	ľ	١.	00'	-	0	0 0 0		၁ ၁ ၀	0 00) C
•	2 3 Ø	Ü.	00	1	00		2	၁ ၀ ၁ ၀) O	0 C) o) 		၁၀	001	ر, `	2	၁ ၀ ၁ ၀	-) O	၁ ၀ ၁ ၀) C
	4	APR O MAY	0	0	00)	4	20		0.0	20		1 1	0	00		4		20		30) C
	6	JUL JUN O	. 0	•	0.0		5	0	0	. O	0	0		0	о О	ر	5 6	, O	0	0	0	(
	'7 8	AUG	0	0			7 8	0	0	0	0	0	7	0	o o)	7	0	0	0	0	(
	9	EEP:	0	0	· C) .	9	0	0	0	O	0	9	0	Ο,)	9	0	0	0	0	C
)	•									•		٠.					-			•		
. •	MSR ID#	DEC.		FIRS STA	T TR	ANSIT		TRANSIT			·			TRA	NSIT ST	ART		TRANSIT	· .			
· .	0	OCT	YAD O C	ня О О	MIN		0	F FO	0	0	0	0	0		MIN O C	7	0	AUT C				

'MSR	1	1	FIRS	ST TRA	ANSIT		RANSIT	1	1	. 1	1	1	TRA	NSIT ST	ART	QUAN		· ·	1	1
ID ⇔	- NOV	DAY	HR	MIN	. <i></i>		AUT						HR	MIN .	Δ	AUT TO			٠	`
o .	OCT	рo	00	00		٥	Ō	0	0	0	0	0	20	00		C	0	O	.0	C
. 1 .0	Ö	bo	၁၀	00		١.	00	၁၀	20	00	20	,	50	00	,	00	00	20	20	3 C
2	Ö	þo	20	00		2	O C	၁၀	50	20	20	2) O	00	2	00	00	၁ ဝ	20	o €
30	O AP	þo	0	00	. .	3	၁၀	20	20	20	၁ဝ	3	0	00 -	, 3	00	00	00	၁၀) C
4	0	0	0	00	f	4	20	00	O C	0 0	20	4	0	00	4	00	00	00	၁၀	.D.C
5	Ö	0	0	00		5	0	0	0	0	0	5	0	00;) 5	. 0	0	0	0	C
6	JUN O JUI		0	O		6	0	0	0	0	0	6	Ô	O	6	0	o	O	0	c
7	1	0	0	O		7	0	O	0	ູ່ວ	0	7	0	. 0	7	0	0	0	0	C
. 8	SEP	0	. 0	0		8	0	0	0	0	0	8	0	0	/ 8	C	0	0		C
9		0	0	O	1	9	0	0	0	O	0	9	0	O	9	C	0	0	o	
• ====>	Çυ	POLA	٠.		-				•						•	-		- •	- •	O

RIDGE TURNEL
O. A. VI.

CUPOLA
4. 1 15.
ENVIR. CONTROL SYSTEM
6. 7 7.
WET LAD
8. 7 49.
WATER

MEAL BEHAVIOR

This measure is collected on-line through use of the meal behavior template and a double page information record which focuses on each meal of each aquanaut. This measure, in importance, ranks alongside the dive record and just below location record, conversational sampling and transit record. On the double template available for meal behavior there is room for four meals, which can be scored virtually simultaneously when such situations arise. If this most difficult of situations was to occur, the observer decides which aquanaut and his meal is to be recorded in which of the four segments by the order the men are served their food. That is, upper left hand segment is a record of the first man served; upper right, second man served; lower left, third man; then lower right for the fourth man served. This will require the observer to wait until serving begins to make this decision. Once the initial data has been punched for each ongoing meal, which includes which meal it is (the observer should key to time of day rather than man's often irregular schedule) see meal coding categories; who cooked the meal (punch the cook's ID number); who served the meal, and who eats the meal. To illustrate different possibilities in this initial data, one man could both cook and serve his own meal, while another man could have a second man cook his meal and still another man serve it.

When a man settles himself to begin eating should be recorded as start time. During the meal, four things should be observed for recording. (1) does the man have companionship during his meal? (2) meal size and (3) rate of eating; in other words at what rate does each aquanaut consume what size meal? (See the ten consumption categories on template) and (4) what was the amount of conversation the aquanaut indulged in during his meal, the meal period being defined as from the time the man sits down to eat until he leaves the company of the meal group. (See the amount of communication on template)

The time the man leaves the meal group (in minutes) should be punched under stop time. The location the major part of the meal was eaten should be recorded referring to the location record schematic. The final piece of information about the meal is who does the majority of cleaning up after that man's meal.

If only one meal is eaten during a given period, the observer upon finishing the recording may elect to file the half used IBM card and load the info recorder with a fresh one.

<i>.</i>	o -	2	m	4	٠.	9	~	80	. 6				0		2	 M	4	<u>ب</u>			ω	O
Ö .									· ·					-		•••	•			•	~	0
SECTION -	0	0	0	0							121	CLEANUPI	D ^C	0	0	0	0					
SECTION.	0 0	<u>C</u>	0	0	0	0	0	<u>O</u>	0	٠.		SECTION	0	0_	0	0	0	C.	0	O	0	0
COMPARTMENT		<u>o</u>	$\tilde{\sigma}$	0	0	O					Tar.	COMPARTM		0	0	0	0	0	0			
STOP TIME [MINS]	0 0	0	0	0	0	0	0	0	0			STOP	Ž O	0	\circ	O	Ö	0	0	0	. O	0
	· 5 0	<u>.0</u>	$\frac{\delta}{\delta}$	<u>o</u> _	$\frac{\delta}{\delta}$. •			0	0	0	0	0				
COMPANION	0	<u>C</u> 0	0	0_	Ω	O_	Ω		·— .	•	CON	MUNICATIO		<u> </u>	<u>· O</u>	_0	0	0	<u>O</u>	0		
CONSTRUCTION	0 0	$\frac{\sigma}{\sigma}$	O	0	0	0	0					COMPANIO		0	0.							
	0 0	$\frac{0}{0}$	$\frac{\sigma}{\sigma}$	Ö	$\frac{1}{0}$	$\frac{\sigma}{\sigma}$	$\frac{\alpha}{\alpha}$	_O_ O	<u>0</u>			onsuverio V W ≦		$\frac{0}{0}$	$\frac{\circ}{\circ}$	$\frac{0}{0}$	$\frac{\circ}{\circ}$	()	$\overrightarrow{\nabla}$	$\frac{\circ}{\circ}$	0	<u>Q</u> .
S DWN EAT TIME MINS	0.0	Ö	ŏ	6	ŏ	V	U	U	0		. :	AT TIME	NINS O O	Ô	0	0	0	0	0	O.	O	O
TING TO E	0 0	0	Ö	Ö:	ö	ō	0	0	0		9			<u>0</u>	0	0	0	0	$\overline{\cap}$	0	0	<u> </u>
SITTING TO E START HRS N	0 0	Ö			•	•	•	•			ļ	START START	O	0	ŏ	•				0	O,	Q.
EATER	C	0	0	0				-				EATE		Ö	ō	0	0			,		
SERVER	<u> </u>	\circ	0	0						-	. •	· SERVE	R	0	ŏ	0	Ö					
COOX	\mathcal{C}	C_{-}	0	<u>0</u>				-				coo	«-	0	O	0	0				-	
L'EAL	_C	<u>Q</u>	_Ú_	U	<u>C</u> _	O_						M:EA	L	Û	0	0	0	0	0			_
	101-	100	10/	100	No.	0	100	10,	0				10	1-1	/w	w	10/	0	101	1-1	(\o)	0
CLEANUP ID	<u> </u>	$\vec{\sigma}$	$\tilde{\sigma}$	<u>೧</u>							z .	LEAN UP I	۶۹	0	<u>0</u>	0	0					
	C C	<u>() </u>	$\widetilde{\mathbf{C}}$	<u> </u>	$\check{\mathbf{U}}^-$	<u>.</u> 0_	·O_	\mathcal{O}^{\perp}	$\overline{\mathbf{O}}$		LCTN	SECTIO		<u>.</u> 0	<u>O</u>	\mathcal{O}	0	_0_	()_	0	0	O.
	0.0	$-\Omega$	<u>() </u>	$\overline{\Omega}$	$\overset{\circ}{\Sigma}$	$\overset{\diamond}{\mathcal{O}}$						2 Tu		<u>.</u>	<u>.</u>	Ω	<u>0</u>	<u>.</u> 0	0			
TABLE STOP TRAE	0 0	\circ	$\overset{\circ}{\circ}$	0	0	O	O	0	O	•		TABLE STOP		O	O	Ô	O	0	O	0	0	O
CONTROL HOATION	~~~	$\frac{1}{1}$	<u> </u>	2	<u></u>	$\overline{\cap}$	^				-	UNICATION		$\frac{0}{0}$	$\frac{0}{2}$	<u>Q</u>	$\overline{0}$	$\frac{2}{\Omega}$,
CONTAMION	0	0	_\	7	7.	`_	\				-	COMPANIO	- 	0	0	()	()	0	<u>-</u> 0_	()		
CONSUMPTION	0 0	Ô	0	0	0	0	0	0	Ō.		c c	DNSUMPTIC		0	$\frac{0}{0}$	0	O	0	0	0		$\overline{\circ}$
GD:NN TAT TIME MINS	0 0	0	O	0	Ō	o	O	O	0		-			0	ŏ	Ö	Ö	ō	0	0	<u>0</u> 0 .	$\frac{O}{O}$
- W	00	0	0	ŏ	Õ	•	•	•	•			EAT T TIME	0	Ö	õ	õ	õ	õ	٠.	•	· ·	Ų
SITTINGD.WN TO EAT START TIME HRS MINS	0 0	0	C	0	0	0	0	0	0		Ì	TO E	0 0	0	G	Ō	C	Ô	0	0	0	Ō
	00	0									į	STAR	O	0	0		•		·	. •		•
EATER	<u>o</u> _	<u>o</u>	0	0								EATE	R	0	0	0	0	``				
SERVER	0	\ddot{o}	0_	<u>o</u>								\$ERVE	2	0	0	O	0					
COOK MEAL		<u>0</u>	$\tilde{\overline{\mathbf{U}}}$	<u>o</u>							_	c 00		0	()	Ö	0					
	$\frac{0}{0}$	$\frac{2}{2}$	$\widetilde{\Omega}^{-}$	$\widetilde{\mathbf{C}}^{-}$		$\frac{\delta}{\delta}$					-	N:EAI	1	C	Ω	()	Ó	<u>Ō</u>	0			
DAY	0 0	0	\circ	O	0	0	0	O	O			γ		0	0	O	O _.	O	O	0	0	0
NO FE			ें हैं	<u>``</u>	<u>() </u>	O 5	A P	8	-					<u>О</u>	0 30 9	0	0.3	· · · ·				-
		0		ن کیک	1/5	() 5		7	<u> </u>			ස <u>ි</u> §	<u> </u>	5 U	<u></u>	() §	0	O s	<u>○</u>	A S	ਮੈ	
MSR 103		•	0									M SR	2		0	0				,	·	
C	0 -	2	TELY	4	2	ξw	^	` α	σ.		-		' 0	. 	8	3	4	2	φ.	^	ω	o ()
			CKLY	וכאר ויארא	DER-	מטיט ס		Š	S		Y ION				٥						٠.	
A .	ب		503	SLO	0	L SL EAL	EAL	รี	EAT		S	, .			COR	٠			`			•
0 .	WE.	₹	CAL	EAL	40 E	17.5 A	تر بر تر بر	년 5 2	I F		J.W.C	Š	N. A.		S S		٠.		••		•	·
	* E # ^	E 5	100 X	15 E	ij i	Tank.	Sate	KNO	<u> </u>		بر دو	AMT.	N 1	Š	CATIO	ATIC				. ·		
MEAL BEHAV	2. LUTICH 3. DINNER 4. ANOTHER MEAL 5. SYACK	6. DON'T KROW OPCULITION	O EATS DIG NICAL OUICKLY 3	2. EATS DIS MEAL SLOWLY 3. EATS AVE, MEAL QUICKLY	A. EATS AVE. HEAL MODER- ATELY	EATS SHALL MEAL QUICK	7. EATS SHALL WEAL HOSERATELY	21.5 1.6 1.4 1.4 1.6 1.6 1.6 1.6 1.6 1.6 1.6 1.6 1.6 1.6			0 T1	OTH PATIN CAT	TTLE L'OS	- 1 - 2 - 2	(LO)	SCHEMATIC					•	
BE SE	4 2 4 2 10 4 2	6. DC:2T KNO	0 -	3. E. C.	તું વ ે .	S. EATS SMALL MEAL QUICKLY	2 11 1	B. EATS SMALL MEAL SLOWLY	COTT TO (WHILE EATING) 1. YES 2. NO		ANOLIST OF COMMUNICATION	UNITH OTHERS, 1. CONTINUOUS 2. GREAT AMT	4: LITTLE 5. ALKTOST NONE	7. DON'T KNOW	SEE LOCATION RECORD	ŞÇ					•	- 1
									<u>~</u> _				- 4 40 4		" اب							

DIVE RECORD

This measure will be recorded on-line using the dive record template and information recorder. It focuses on the dive of any given aquanaut.

By examination, one can see this double template to be divided up into two equivalent parts, an upper half and a lower half, each concerned with a total overall dive of a single aquanaut. Such an organization allows the dives of two different aquanauts to be recorded simultaneously. In case the occasion arises when three men are in the water simultaneously, a second dive template in another double page model II information recorder could be employed.

After having punched the measure ID and full date the first order of business is to punch the start of preparation for the dive as defined on the template. Save punching the diver ID number until you are sure whether this preparation is for oneself or another diver. Preparation stop time is punched after preparation for that particular dive ceases. Preparation stop time is defined on the template. Who actually does the majority of in-habitat assisting and preparing for the dive is noted along with ID of any minor assister.

As the diver leaves the habitat, he will almost always leave with a buddy. Punch in egress order column whether man is first of the group going in the water to exit, second, or third in the rare case of three man groups. Punch the start time of diver's dive to nearest minute.

At the end of the dive punch the order the aquanauts enter the habitat; first, second, etc. Punch for each dive the identification of the diving officer and standby diver, if the observer is able to discern that the other aquanauts were filling these two posts. The end of the dive should be recorded once it becomes fairly obvious the man is in the habitat to stay; he isn't back for a piece of equipment and then returning to the sea. Thus, the time the man actually reenters the habitat to the nearest minute must be remembered by the observer until he can make this permanent return decision.

The securing measures are very similar to the preparation measures. That is, there is a start time commencing when the man begins taking off his gear and a secure stop time occurring when the man has stowed his gear or has obviously gone on to something else other than securing.

The aquanaut coming in from the sea may desire to take a shower to wash off the sea water and perhaps to raise or lower his body temperature. The observer should record start and stop time (time man usually spends under water and any time spent soaping up, water on or not.)

The sooner the observer becomes familiar with the descriptive information contained on the template, the sooner recording the dive activity and times will become a comfortable task.

#	3			•	MAN LEAVES SHOWER	SHOWER STOP	l	DESALINAZATION SHOWER START MAN	SAME AS	E ASSI	SECURE STOP WHEN	SECURE START DIVERS DEGINS TO REMOVE GEAR	INGRESS OFFER - ORDER DIVERS ENTER HABITAT AFTER DIVE		1 1	FOR DIVE	DIVERS ENTER WATER	7070	MAN G		ASSISTANCE GIVEN, DO	DIVER MOST ASSISTANCE	POEP, ASSISTANCE	ETE-MAN	COLLECT EQUIP/ FOR DIVE
		oφ	. .	7	, S i	თ	4.	u	ν, .σ	-	0		. A 30		A S	EER 8	χ. κ 7	- ഉ	VES 5	E N	Ü	NCE 2	<u>.</u>	FIT- 0	, Ø
		,						0				MSR 10*	_		•						0				MSR O
			Xi.	<u>\$</u>	֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	0	(O)	(O)	ĬŽĒ	هند ت			200			€	<u> </u>	0	0	0	<u>ः</u> ०	<u>()</u>	$\frac{O}{O}$	<u>8</u> O	
		O	0	O	0	0	0	0	0	0	0	DAY	•		0	0	O	O	Ö	0	ŏ	Ö	Ö	Ö	DAY
		-32					0	Q.	O	0		5,DIVE								0	O	0	O	Ö	D DIVER
,	٠	.: C		^	_	•	^	•	0	00	0	PRER	•	. :	Ö	0	0	O	0	0	0	0	0	0	20 20 20 20 20 20 20 20 20 20 20 20 20 2
· .				O	0	0	0	o	Ö	0	00	R STA		,		U		, ,	Ö	ő	ŏ	ŏ	Ö	ŏ	START
		C	0	0	0	0	Ō	O	Ō	Ö	O	RT			. <u>O</u>	.0	0	0	O	0	0	0	0	0	Y
			0	Ω	0	0	0	0	0	0	00	STOP			0	0	0	0	0	0	0	0	0	0	HIN STOP PATE
	٠ -						ŏ	$\frac{\circ}{\circ}$	$\overset{\circ}{\circ}$	$\frac{\circ}{\circ}$		5 _{MAJO}								Ö	\ddot{o}	Ö	$\frac{\ddot{o}}{o}$		
	•	_		Ų			0	O	0	0		e mino	5 2 3 S							0	0	0	0		E MYNOUS
				-	· · · •	<u></u>	0	0	0	0		EG:.ESS				·		·· · · ·	· ·	0	0	0	0	()	EGRESS CAL
		C	0.0	0	n	0	0	v	0	0	00	BAID				Ö	0	0	0	Ö	0	0	Ö	0	DIVE
~	•	: "			•	ŏ	ŏ	ŏ	ŏ	ŏ	õ	START				•	•	•	O	ŏ	ŏ	ŏ	ŏ	ŏ	START
-	٠.	- <u>C</u>	0	C		O	0	0	O	0	0	ž	_		0	. O	0	0	C	0	0	0	0	0	× 2
		•			_\$.\$.	- X	10	$\frac{0}{0}$	0	$\frac{0}{0}$			S CRDER			•		NON	-, OS.	0	$\frac{0}{0}$	$\frac{0}{\sqrt{1}}$	$\frac{\circ}{\circ}$	-	INGRESS CR
		-			$\frac{0}{0}$	C	0	0	0	0		0.0 S.D.						<u>7</u>	<u>0</u>	lŏ	<u>C</u>	Ô	~		0 S B
	•	• -				_ <u>~</u> _	1		ŏ	ŏ	0	PAIN S	- . ,		-							Ō	U	0	OO S B DIVE
		Ċ	0	C) · O	0	0	0	0	0	0	من ا			- O	O	O	O	0	0	0	0	0	0.	_ N
	_	. ;	, n			• 0	0	0	O.	0	0	* Q	: • •		(2)	0	0	o.	0	0	0	0	0	0	STOP
٠.		-	, 0		, 0	.0	$\frac{\sigma}{\sigma}$	0	0	0	0	3 3	<u>5</u>						O	Ô	ō	8	0.	0	STAF
_		C	0	<u>C</u>	C	0	0	0	0	0	0	MIN			0	0	0	0	0	: O	0	0	O	0	SECURE START
٠.	-		. 6		. ^	0	0	0	0	Ó	0	NIN	SECURE		^	0	0	^	0	0	0	0	0	0	STOP STOP
•	•	· Ç	0	<u>C</u>	0	<u> </u>	0	0	0	0	0	⊕ MAJ0	<u>16</u> > SE		. <u>Q</u>			<u>_0</u>		0	$\frac{0}{0}$	$\frac{0}{0}$	$\frac{\mathbf{o}}{\mathbf{o}}$	<u>0</u>	B.MAJOR P.
•		-					ō	0	0.	ō		E MIN	R ST							O	O	0	0	·	SMAJCR &
						0	0	O	0	0	0	STA		•	• • • • •		_	· ·	O	Ŏ	0	O	0	0	NIN 71.S 71.S
		(9	. (0	0	0	0	0	0	0	7	_, ,		· - O	0	0	O	0	0	00	0	0	0.0	1 25
		•	0	• (0	0	0	0	00	0	0	SEC	1		0	C	0	0	Ô	0	0	ñ	ŏ	õ	SEC.
		-				0	o	ō	ŏ	Õ	O	ž S C	2 .	•					0	0	0	0.	0	0	S S
	,	() C) C	0	• -	0	0	0	0	0	STOP STOP SEC	Į.		. 0	C	O	0	0	0	0	0	0	0	100 H
•		Q _C	, C) · C	ດ	(O)	့ ဂ	0	0	0	- ဝ - ည	SEC	D		O	0	6	0	0	0	0	0	0	0	SHOWER STOP
	_		0 0		4 6				ν.	_	0	•		<u>.</u> .	9		_	6	ű	4	ŭ	 N	-	ŏ	

COMMUNICATION WITH TOPSIDE

This measure focuses on verbal communication between the aquanauts and the surface. Collection is with on-line template. Specifically it concerns itself with one complete communication defined for our purposes here as the period spanning the time from the beginning of the use of a particular communication device like the sound powered phone until the end of that particular use of the device. In effect then, this could encompass all situations from one aquanaut talking with a single person topside to three separate aquanauts each talking with three or more different people topside.

PROCEDURE: Check to insure card is loaded.

Be sure to punch in the measure identification and the date, if possible, before you begin recording. You should be tipped off that a communication is upcoming by signals from topside, a man picking up a communication device, etc.

The first man to use the communication device should be identified in column 12 (ID#), the time the communication begins should then be recorded in the appropriate columns under start time. Who initiated the communication (did topside call habitat or did habitat call topside) should be entered in the next column. See the communication initiator code on the left side of the template for identifying appropriate punch location for each category. Next, punch the communication device (mode) used. See the communication mode categories on the template.

During this, the aquanaut's communication, be especially aware of two things, (1) who did the aquanaut spend the majority of his time talking to, (punch this in the major topside communication identification column referring to the categories on the template) and (2) the percentage of time (ranging from 0% to 100% as noted on the template) the conversation is concerned with operational as opposed to social topics. For instance, mission related topics, repair, maintenance, operational procedures, medical reports, etc. are operational in nature. On the other hand, talk about the wife and kids, about world current events, etc. is surely social. Having decided on the percent of time spent during that communication discussing operational topics, punch in the appropriate information referring to the code at the bottom of the template. This part of the communication is ended when the aquanaut who has been talking either stops using the particular communication device or gives it up to another man. At this time, the stop time should be recorded in columns 30-36.

As is apparent upon examination of the remainder of the template, there is space for two more complete recordings of other segments of the overall communication depending, of course, on whether other aquanauts take their turn at the phone. When the overall communication is ended, (the device is no longer being used) take out the punched IBM card, store it, and reload the recorder with an unused card.

COMMUNICATION 9 MODE I. INTERCOM 2. SOUND -PWRD 3. OPEN MICRO- PHONE 4. OTHER 5. DON'T KNOW	MAJ TOPSIDE COM- MUNICATOR IDENTITY 1. TEST DIR. 2. MED. DR. 3. BACKUP CREW MEMBERS 4. SUPPORT DIVERS 5. OTHER SCIEN- TISTS 6. FAMILY 7. VIP 7	COMMUNICATION INITIATOR CODE 1. TOPSIDE 2. HABITAT O 3. DON'T KNOW
		COMMUNICATION WITH TOPSIDE START TIME TOPSIDE STOP COOC OO O

TIME OF ARISING AND TIME OF RETIRING

These measures are to be collected via template and on-line. They focus on the beginning (time of retiring) and end of (time of arising) each aquanaut's overnight rest. Over a period of days the observer will become more sure of whether the aquanaut is retiring for the night or just resting. Arising time could also be a problem in that the man could just be getting up for a head call then returning to bed for more shuteye. Such being the case, the observer might well record time of arising and/or retiring on a sheet of paper and then transfer it via template to punch card once he is fairly sure his judgment was correct. If the aquanauts pick widely different times to retire and arise, the observer may prefer to punch each man's time on a separate card. In this case, he should be sure not to record more than one arising nor more than one retiring time per man per day.

, 	#37		-						٠.		TII	Μ	E ()F	RET	IRIN	G										
	 	٠.				MA	N #	ı					MAN	# 2			-	MA	N # 3	٠.				MA	N # 4	C)
DEFINITION: RETIRING.	MSR	DEC			9	Т	IME				- 1	5		TIME			 0		TIME				- #	T	IME	`	
WHEN MAN ACTUALLY GETS IN BED AFTER	1D#			_	#	HR	Mi	N	SEC		‡		HR	MIN	SEC		7	HR	MHN	SEC				HR	MIN	SE	C
PREPARING FOR	0	ОСТ	\mathbf{o}			00	Ö	00	0 0	,			0 0	00	00	0) ဝ	00	00		o	ŀ	00	00	0	0
Nioni	1		00		0	00	0	0	0 0		. C	S	0 0	00	00		O	00	00	00		١ķ) (C	00	00	0	0
	2	O	00		0	က င	O	0	0 0		2 0) (00	00	00	2	0	00	00	00)	2 {	о¦	00	00	0	0
	3 0	O	00	-	0	С	0	0	00		3 6	۱(0	00	00	3	0	0	00	Q C		3 (기	0	00	0	0
	4	APR O	0		0	C	0	0	o c		۽ ¦د		O	00	00	4	0	C	00	00		4 (э	0	00	0	0
	5	Ö	0		'	c	0	0	0.0		5		0	00	00	5		C	00	00		5		0	00	0	0
	6	O	0			C)	O	0		6		0	0	0	6		C	Ć)		6		O	0		O
	7 0	JUL	0			C)	0	0		7		0	- 0	0	. 7		O) C) ()	7	-	0	0		0
	8	AUG	0			C)	0	0		8		O	0	0	8		C) C) (8		0	0		0
	9	SEP	0			C)	O	0		9		0	O	0	9		C	0) (9		0	Ö	•	O

EEG ELECTRODE HOOKUP

This measure is focused on the aquanaut being prepared for EEG recordings. It is collected on line with appropriate template. As the title intimates this includes the period from when the preparation begins until the final electrode has been affixed to the man's head. Note that there are three sections on the template entitled first man, second man, and third man. These three headings refer to the order the three men who are to be prepared each night are, in fact, hooked up. The remainder of the template is pretty much self explanatory. Direct any questions to the investigator.

ELECTRODE	#	<u> 4</u> r	7				•	AMIL									AVAIL									AVAIL				
HOOKUP		•		٠١		IRS		ABLE.	ASSI	М	IAN		5	SEC	ONI ASSI		ABLE	ASSI	M	ΛΔΝ	,	T	HIF	RD ASSI	IST-	376	ASSIS	MΔI	1	
	O _{MS}		DEC	1	1	ANCE	ī l	NON.	STANCE	START	r Time	EISTOP		1 1	ANC		NON-	STANCE	START	TIME	!STOP		1 1	ANC	E	NON-	STANCE	START	TIME	STOP I
ASSISTANCE CODE (FOR MAJOR ASSISTANT) 1. REQUESTED	10	P	NOV	DAY	MAN ID	MAJ 10	ğ 0	HELPER	E CODE	HR	MIN	MIN		MAN IO	MAJ. ID	MIN ID		E CODE	HR	MIN	MIN		MAN ID	MAJ. ID	MIN. ID	NON-HELPER	€ COOE	HR	MiN	MIN
2. OFFERED 3. SCHEDULED 4. DON'T KNOW	0		JAN	00						00	00	00	0					 	00	o ò	00	0						00	00	00
LEGEND	,1			00	0	,O	[O]	o,	0	00	00	00		0	O,	O,	O¦	O.	000	00	00		0	O	O	0	0	00	00	00
MAN ID**-IDENTIFICATION NUMBER OF AQUANAUT	2	ļ	O	00	o	0	0	0	O	00	00	00	2	0	0	ဝ	o¦	0	000	00	00	2	O	0	0	0	0	00	00	00
BEING HOOKED UP	3		0	00	0	,O	O'	O,	O	0	00	00	3	0	0	0	O	0	0	00	o o	3	O	0	0	0	0	0	00	00
FIRST MAN HOOKED UP	40)	APR O	0	0	0	<u> </u> 0	o'	O	0	00	00	4	0	0	o l	o¦	0	0	00	00	4	0	0	0	0	0	0	00	
MAJOR ASSISTANCE - WHO GIVES MOST HELP TO MAN	5		Ö	0	1 " '	MOR	- 1			0	00	00	5		MCR	-			0	00	00	5	1 " '	MORE	~ I			0	00	00
BEING PREPARED, MIN - 10 NO- OF INDIV GIVING	6		90% 90%	0	AVA	AILA	SLE	1 1		0	0	0	6	AVA	(AN (AILAI	GLΕ			0	0	0	1 1	AV/A	AN O	BLE			0	O	0
MINOR ASSISTANCE AVAIL, NONFELPER-WHO WA	7 AS	0		•	in C	CMF	LPER ART- THEM			O	0	0		IN C	N-HEI OMP NT T	ART			0	O	0	7	IN C	,	ART-			0	O	$ o'_i $
IN SAME COMPARTMENT DURING MAJOR TIME OF	8	'	AUG	0	1 -			!		0	0	0	8				- 1	\pi	0	0	0	8		INCH		Ö		10	O_{\parallel}	O,
MOCKUP BUT DID NOT HELP IF MORE THAN ONE AVAILABLE NONHELPER	9			0			}			0	0	0	9						0	0	0	9						0	0	0

PUNCH 8 IN COLUMN START TIME WHEN

ELECTRONICALLY MONITORED FACILITIES USAGE

This measure focuses on the individual use of each of the following facilities: diver panel, the TV, the radio, the headsets, and the stove. Normally this data should be available from the Franklin Counter printout. In case there is a breakdown in this-facility, collection will revert to on-line paper and pencil checklist collection with off-line transfer to IBM cards via the appropriate template.

The organization of the template is almost self explanatory. There are two sections on the template for the recording of up to two separate events. The facility code identified by the headings immediately to the left of the punch holes indicates what is being used. The man's ID number (which incidently will not always be available from the counter printer and thus, cannot be recorded) identifies who is using the facility. The start and stop times of the usage are available on the printout. The printout format is twelve columns across and the kinds of information each column can contain is available on the checklist on the opposite page.

Also, please examine the copy of paper and pencil checklist which will serve as a backup measure or infrequently as a check on the overall electronic monitoring system for accuracy and validity.

													-												
				ELE	EC.	٦F	RONI	C	ΔL	LΥ	N	10N	ITC	RE	ED	FAC	JIL	ΙT	IES	US	AGE				
#	38				FAC		0745	- -		-		0.7			_		FAC								
(_	DEC	1	1	7	X A N	STAR	1	L IM(Ė	ı	51(1)P T	IME	Ξ.	t	בודץ.	X A	ŞIA '	RT T	IME		STO	P TIM	^E O
	MSR ID#	NOV			CODE	2 5 #											CO	Z							
	10#	L.,	DAY		LL.	#	HR	M	IN_	SEC		HR	MIN	1 5	SEC	ļ	30	D#	HR	MIN	SEC		HR	MIN	SEC
. 0		ОСТ	00		-		00	0	0	00	0	00	0 () (00				00	00	00	0	00	00	00
1	-	O	00	DIVER PANEL	O	O	00	0	0	00	1	00	00) (00	DIVER	O	0	00	00	ÓΟ		00	00	00
2	÷	О	00	τv	O	0	00	0	0	00	2	þo	00) (00	Ιv	0	þ	00	00	00	2	00	0 0	00
3	0	1	00	RADIO	o	o	0	0	0	00	3	0	00) C	00	RADIO	0	o	. 0	00	00	3	0	00	00
4	•	O MAY	0	HEADSET	o'	0	0	0	0	00	4	0	00) (00	HD ST	þ	b	0	00	00	4	0	00	00
5	•	O	0	STOVE	0		0	0	0	00	5	0	00) (0 0	STOVE	ြ		0	00	00	5	0	00	00
6		O	0				0		0	0	6	0	(C	O	•			0	0	0	6	0	0	0
7		AUG	0				0		0	0	7	0	()	0				0	0	0	7	0	0	0
8	0	SEP	0				0		0	0	8	0	()	0				0	0	0	8	0	0	0
9 ()		0				0		0	0	9	0	(>	0				0	0	0	9	0	0	ဂ္ဂ

Franklin Counter Printout Legend

COLUMN 1	Indicate ID No. of ma	in going into water (i.e.	Diving panel egress)
COLUIN 2		esh coming out of water (i	
COLUMN 3	Indicates On position	of with numbers	
	Leadphones	1-4 (ID # of aquanaut)	
	Television	5	
	Radio	6 .	
	Stove	7	•
	Operator Button	8	
COLUMN 4	-	on of with numbers	•
		1-4 (ID # of aquanaut)	-
•	Television	5	
	Radio	6	
	Stove	7	
	Operator Button	8	•
COLUMN 5 & 6	Indicates mission day	facility operated	
COLUMNS 7-12	•	ites, seconds of activatio	n or deactivation

Facilities Code

- 2. TV
- 3. Radio
- 4. Haadphona
- 5. Stova
- 6. Operator Button

•			•
Facility	By Whom	Time Started	Time stopped
Used	ID #	(Mearest Minute)	(Mearest Minute)
	{		
			<u> </u>
			•
,			
		,	•
	J		
. ,	}		·
-			

ELECTRONICALLY MONITORED FACILITIES USAGE

Da	te	1

PRESSURE POT USAGE

This measure will be collected on-line with a supplied checklist. See Checklist next page. The observer should sensitize himself to all pressure pots coming into and leaving the habitat.

The recording procedure includes identifying the size and direction of each pressure pot. Since the "direction" category is incompletely defined on both the template and checklist, the entire category will be listed here. Under the direction category -

Row 1 - should read incoming small pot

Row 2 - should read outgoing small pot

Row 3 - should read incoming large pot

Row 4 - should read outgoing <u>large</u> pot

The date should, of course, be noted on the checklist. The time the pressure pot arrives or leaves the habitat should be recorded to the nearest minute. The major contents making up the better part of the load should be identified if possible. Use the content categories. If not, use number 8 - the don't know category choice. If the lesser contents can be identified, record this using the same categories. Again use number 8 category choice if you cannot tell the secondary contents. Off-line transfer to punch cards is required.

		H 84.	OB 10	17	14 16	16 26	17	, Pl	RES	SURE	P	ľ ľO	- " (JŠA(SË .	w -	1,7	4	* # .		44	u	4	n n	74	•	•	•
	#41				•		X P	SECOND			X P	SECOND				X A	SECON				ž.	SECON					Ę	SECONO
DIRECTION	MSR	DEC		DIRECTION	TI HR	ME MIN	JOR CONTENTS	mı.	DIRECTION HR	TIME MIN	JOR CONTENTS	ARY CONTENTS	DIRECTION	TIM HR	ME MIN	JOR CONTENTS	DARY CONTENTS	DIRECTION		νε ••••	JOR CONTENTS	mil:	DIRECTION	TIM	_	_	ONTENTS	ARY_CONTEN
ROW I INCOMING ROW 2 OUTGOING CONTENTS CATEGORIES	0	OCT JAN	00		00	i ———		7-1	7	000	+-	0				O.		-1			Γ 1	· -	-	HR OO	O			7
O. HABITAT EQUIP 1. MARIN RSRH EQUIR	1 0	O FEB	00	i I			1 1	ì	1	ြဝ ဝ	1	1	ŧ	i	ı	1	- 1	- 1			1 1		1	00			- 1	,
2. MARIN. RSRCH SPECIME 3. BIOMED SAMPLES, LOGS 4. FOOD	s	MAR	1		1	!	1 1	1		00	1	1		00	00	0	0	0	0 0	00	0	တ္ပုံင		၀ ၀	0	0	\circ'_{l}) ^{[2}
5. PERSONAL-CLOTHING 6. MAIL	3 4 O	APR	00			00	1		. _ `	000	1	1	li	1	00		ı	- 1	1	00	1 1	- 1		0	0	0,0	၁¦ၒ	⊃¦₃
7 OTHER 8. DON'T KNOW	5	MAY		0	1	00			1	000	1	1 .			00		- 1	0	1	00)	- 1	O	0	0	O¦d	2)¦<
MAJOR CONTENTS	6	O JUN	0		- 1	00	1)	1 _						00		0		0	00	0	2		O	O	O¦(⊃ €) ^{'5}
MHAT POT CONTAINS	, o	JUL	0		O	_				!	1	O		0		0	0		O _i	O	0			O,	(0)¦()¦€
SECONDARY CONTENTS OTHER CONTENTS		AUG			O	1	0	-		!	0			Ο				1	O	.0	0			O	•	\mathbf{O}_{0}^{0}	$P'_{I}C$	77
SPECIFY 0-8	8	SEP	O		O				•	P	C	O_1°	3	0	O	0			O,	0	O	C		O¦	(\mathbf{C}_{i}^{\prime}	$\mathcal{S}_{\mathcal{C}}^{\prime}$	S¦ε
0	0		0		O;	0			C	o¦ O			9	O	0	1			O¦	0			l	O¦	(ol	C	9

Code	Category		•
0.	HABITAT EQUIPMENT-Items for repair	Code	Category
	and maintenance of habitat or those	3.	BIOMEDICAL SAMPLES AND LOGS-
	which somehow contribute to the same.		Materials from BUMED prog. such as
1.	MARINE RESEARCH EQUIPMENT-Hardware		blood, fecal, aerobiological samples:
	such as tanks, knives, nets etc. and	-	logs & questionnaires from psycho-
	software such as journals and reports		logical mission, gauge readings from
	i.e., anything making a direct		operations/engineering mission.
	contribution to the marine research	4.	FOOD
	program.	5.	PERSONAL CLOTHING-Personal effects
2.	MARINE RESEARCH SPECIMENS-Anything		and clothing of aquenauts.
	brought in from the sea by the	6.	MAIL
	aquanaut scientists.	7.	OTHERS
		8.	DON'T KNOW

ORDER	[Check INCOMING	one] OUTGOING	TIN	ME MINUTES	MAJOR CONTENTS (CODE)	SECONDARY CONTENTS (CODE)		
1				- '				
2		·						
3								
4				 				
5			÷					
6								
7				<u> </u>				
8				l	ve.			
9				<u>t</u>				
10				<u> </u>				
11				<u> </u>				
12.				l 				
13	1.							
14				1				
15	;			<u> </u>		·		
16				<u> </u>		1		

•	PRESSURE POT USAGE	Date

BIOMEDICAL MONITORING

This measure is to be collected on-line on a supplied checklist and transferred off-line to punch cards. It focuses on a number of required tasks the aquanauts must do for the medical officers and physiologists vitally interested in the divers' health and certain bodily functions. These include bacteriological sampling, hematological samples, ventilatory functions and the taking of vital signs like pulse rate, blood pressure, oral temperature, etc.

Other possible measures that may occur during the mission, but more likely will take place either pre and/or post mission, are respiratory control, auditory and vestibular functions, visual functions and neurological functions. The observer should have little trouble in identifying either when the individual measures are likely to occur or when they actually happen, as they have been scheduled somewhat in advance. In fact, of particular interest to the behavioral mission is the adherence to the actual monitoring schedule set up some weeks in advance, (the scenario scheduled time) and the possible rescheduling of the monitoring by the aquanauts in habitat (aquanaut prior meeting scheduled). Both of these times will be filled out in advance by the investigator. The actual time a measure occurs should be recorded along with what is monitored (see categories), who is monitored (man's ID#), who offers major (major assist ID#) and minor (minor assist ID#) assistance, plus the end time of the monitoring.

Although some of these sub measures are decidedly unstructured, the identification of each will increase as the observer sees first-hand what actually constitutes each measure. Also, the appendix contains a page devoted to more fully examining what constitutes biomed monitoring.

#45		•	8	BIOM	EDIC	CAL N	NON	VITOR	ING	•		•				
	BIOMEDIC SAMPLII CATESOR	1 2	MAN ID ##	SCEN:A SCHED Ti:	ULED	AQUANA PRIOR ME SCHEON	ETING	TIME ACTUAL BEGU	LY	ASSIS MAJOR ASSIST.	MINOR	ACT	ME JALLY SHED			0
O JAN	O SAVEHIN		0	Ö O	0 0	ဝ ဝ ဝ	00	O O C	O			OO	0,0	0		
, , ,	O HEVATOL		> ı	000	0 0	000	0	ဝဝဝ	0	O	၀၀	00	00	1		
	O VENTILATO	RY O) 2	000	0.0	000	0	ဝဝဂ	O	0	ဝဝ	00	00	2		
	O O VITAL		3	0	00	00	0	00	0	0	o'o	0	00	3		
40 O	- O RESPLANT	! !) 4	0	00	00	0	00	0	_ Q	c¦o	0	00	4	•	
5 00	OEar e	xamo	5	00	00	100	O	00	0			0	00	5		
6 0	O VISUAL FO	10	6	0	0	0	0	0	0			0	0	6		
7 AUG	o Psych moto	0-0	7	0	0	0	0	0	0			0	O	7		
8 SEPT	O test		8	0	0	0	0	0	0			0	0	8		
9	O		9	0	0	0	0	٥.	0			0	0	9		. 0

BACTERIOLOGICAL COUNT INCLUDES

- 1. Four swabs: skin, ear, nasopharynx, rectum
- Abitat wall swab
 aerobiological sample

HEMATOLOGICAL STUDIES INCLUDES - Alexander

1. A drawn blood sample

VENTILATORY FUNCTION INCLUDES

EVERY SEVENTH DAY/AQUANAUT FOR 1 HR.

1. Breathing into a spirometer

VITAL SIGNS INCLUDES

EACH DAY/AQUANAUT

- 1. Oral temperature
- 2. Body weight
- 3. Respiration rate
- 4. Blood pressure
- 5. Pulse
- 6. Skin examination
- 7. EKG once per week

	J a									
O R D E	Measure	Man	S C H E	Scenerio Scheduled Monitoring	Organi- zational Maeting	Time Actually Started	Time	Assis		CODED
R	Code	ID#	D.	for	Schedule	HRS. MIN.	Stopped - HRS. MIN.	Major ID#	Minor ID# ID#	MEASURE CATEGORIES
-			•		Donata	1	into into	IDIF	ID# ID#	CALEGUALES
1				•	· · · · · · · · · · · · · · · · · · ·		<u> i </u>			0.Bacterio
2						1				logical count
3						1	.			1.Hemato- logical
4						1	i			studies 2.Ventila-
5										tory function
6	-					1				3.Vital Signs
7						i	l			4.Respiratory
8						1	1			Control 5. Ear, ENT
9						•	-			Function
10				·		!				6.Visual Function
11						ı				7. Psycho-
12				_						motor fest
13										
14										
15		-		•						
16										t w
17										
18										

BIOMEDICAL MONITORING

Date

ADHERENCE TO WATCH

This measure is collected on-line with use of a supplied checklist and transferred off-line to punch cards. Focus of the measure is on the watch periods stood by each of the aquanauts. Since watchs will be scheduled sometime in advance, these times will be entered in advance by the investigator on the checklist. These times will serve as a guide for the observer. However, there may be some deviating from the watch scheduled as the title of the measure implies, so the observer is directed to look out for the actual beginning and ending of each aquanaut's watch, entering this on the checklist.

#4	0			_			AΓ	HER	RENC	CE T	0 \	MAT	CH	1			-						
O _N	/SR	DEC	į	NAN	1	CHE D	ULED		l sta	ACT	7 -	.00		×			DULED				TUAL		٥
		NOV		Ö		•			1 311	AIT I	٦	ЮÞ		AN#	517	ART	STO	Р	STA	RT	SI	OP	
	D#	OCT	DAY	#	HR	MIN	HR	MIN	HR	MIN	HR	MIN		ΙĎ	HR	MIN	HR	MIN	HR	MIN	HR	N	1111
0	0	JAN	00		00	00	00	00	00	00	00	00	0		00	00	00	00	00	00	00	0 (0
l.		C FEB															00						
2						00	00	00	00	00	၁၀	00	2	၁	00	00	00	00	00	0.0	00) (0
3		AFR	O O	0	0	00	0	00	0	00	0	00	3	ျ	0	00	0	00	0	00) C	0
40)	O MAY	0		0	00	0	00	0	00	0	00	4	Ö	0	00	0	0 0	O	00		o C	0
5		O	O		. 0	00	0	00	0	0.0	0	00	5		0	00	0	00	0	0.0) C	0
6	ĺ	O	0		O	0	0	0	0	0	0	0	6		. 0	O	0	0	0) ()	0
7		AUG	0		0	0	0	0	0	0	0	0	7		Ο	0	0	0	0)	\circ
8		SEP	0		O	O	0	О	0	0	0	O	8		0	0	O	0	.0	C)	0
9			O	Ì	O	0	0	0	0	0	0	0	9		0	0	0	0	0	C)	0
	-			-			-																c, i

Time	Scheduled	Actual	Scheduled	Scheduled	Actual	Actual
<u>Order</u>	Man ID#	Man ID#	Start Time	Stop Time	Start Time	Stop Time
1	-					
2						
3			· · · · · · · · · · · · · · · · · · ·			
4						
5	•					
6	,		· · · · · · · · · · · · · · · · · · ·			
7	-					
8						
9						
10				•		
11				•		
12						
13						
14				-		
<u>15</u>						
16			·			
17						
18				-		
.19						
20						

ADHERENCE :	ro i	VAT	CH
-------------	------	-----	----

Da	te	<u> </u>	•

MAINTENANCE OF SELF AND HABITAT

This measure is recorded on-line by use of a specific checklist. It contains eight events identified as (0) entering the head, (1) showering, (2) shaving, (3) laundry, (4) handling substantial food stores, that is transporting ample supplies from place to place, (5) five-minute periods of housekeeping, (6) 10-minute periods of maintaining and/or repairing the habitat and (7) changing of the baralyme which reduces CO₂ content of habitat atmosphere.*

The observer is required to simply record a count (hash mark) of the number of times any aquanaut completes any of these events, so that the investigators will have a count of these occurrences for each 24-hour period. The checklist (see opposite page) supplies cubicles identified by the event and the aquanaut for recording each occurrence of each event.

Off-line the information is transferred via template to punch cards.

*The observer is also to record the times required (in minutes and seconds) to remove all eight nuts from the baralyme panel, and then to replace these nuts after the fresh baralyme cannister has been inserted. These times are to be entered on the checklist, but transferred to Template #27.

		•					N	NΔ	TNI	Έ	NΑ	JΝ	ICE	С)F	S	SELF	•	Δ	NC) H <i>I</i>	ΔB	\square	7 1									
•	4	‡39						m				m				Ē				m			,	n				m					
EVENT CODE O. ENTERING HEAD J. SHOWERING 2. SHAVING	•	O MSR ID#		1	Y		MAN ID:#	VENT CODE	EVEN FREQ	1	MAN ID #	1 =	EVEN FREC		MAN IDIE	1 =	EVENT		MAN ID #	VENT CODE	EVENT FREQ.				EVENT		MAN ID#	VENT CODE	EVENT FREQ.		IF BARA THE TIM	EN	
3 LAUNDRY 4 HANDLING FOOD STORE	0		OCT	0	0	0			00	0			00	0			00	0			00	0		7	00	0			00	0	00	O C	, C
5. FIVE (5) MIN PERIOD OF HOUSEKEEPING			JAN		O	ı	0	0	00	1	0	0	00	, ı	0		00	ı	ြ		00		ok	5/	00		ဝ	o'	00	ı	00	00) 1
6.10 MIN PERIOD OF HABITAT MAINTENANCE	2		FEB	0	0	2	0	0	00	2	0	0	ြဝ	2	0	0	00	2	0	o'	00	2	o'_{0}	> !	00	2	o	0	00	2	00	O C) 2
AND REPAIR 7. BARALIME TRANSFER		0	O	O	0	3	0	0	00	3	0	0	ြဝင) 3	b	þ	00	3	0	0	00	3	\circ	$S^{!}_{i}$	00	3	0	O	00	3	0	00	3
	4		O		0	4	0	0	် ဝ	4	0	0	00	4	0	0	00	4	0	O	00	4	ok	S^{I}_{i}	00	4	0	O,	00	4	0	00) 4
•	5		MAY		O	5		0	0	5		0	0	5		o	0	5		0	.0	5	Ę	כ	0	5		0	0	5	0	C) 5
	6		Ö	1	0	6		0	С	6		þ	C) 6		0	0	6		0	0	6		D^I_I	0	6		O	0	6	0	C) €
	7		JUL		0	7		O	0	7		O	C	7		O	0	7		0	0	7	1		O	7		0	0	7	0	C) ī
	8		AUC	l	0	8			0	8			C	8	3		0	8			0	8			0	8			0	8	0	C) {
	9	_ 0	SEP		0	9		'	C	9			C) 9			0	9			0	9			0	9			0	9	Q	ွဲင) (

INSTRUCTION: Make hash mark for each occurrence during particular 24 hour day.

NUMBER OF OCCURRENCES/DAY

EVENT	Man #1	MAN \$2	MAN #3	man #4
O. Entering Head				
1. Showering				
2. Shaving				
3. Laundry	<u>-</u>			~
4. Handling food stores			•	
5. 5 minute periods of housekeeping			·-	
6. 10 minute periods of habitat maint. and repair				
7. Baralime transfer	Start Times	Start Times	Start Times	Start Times

				•		•	•
MAINTENANCE	OF	SELF	AND	HABITAT		Date	
					•		

POTENTIAL WINCH USAGE

This data will be collected via checklist on-line and transferred to punch cards later. The measure itself focuses on the transportation of material from deck to deck or from the water to the wet lab or its' reverse.

In order to record the desired data the observer will be continually challanged to note all load transportations as described above and occasionally to judge one's significance. To elaborate, at times the winch will be used, other times not. The observer is required to record every actual usage of any winch whatever the size of the load. The observer also records every load transportation which the observer judges to require the use of a winch even though one is not used.

Record

FOOD STORES

6. OTHER 2. DON'T KNOW

- $\overline{1}$. The date
- 2. Who is transporting the load (Man ID#)
- 3. To the nearest minute the time this event occurs.
- 4. Was the winch in fact used for this load? (Winch used)
- 5. If so, which winch was it? (Winch ID#) See template code.
- 6. If the load was judged to be of sufficient size what was it's weight? (load size) See template size code.
- 7. And what was the (load type) (See the template code load type)

The template allows three separate records to be punched.

	POTENTIAL WINCH USAGE																									
	#44	,DEC	;1	, ≥ .	•			WINC	LOA	-	, 3				WINCH	¥	LOAD		. X				€ 12 20 12 13 14 14 15 16 16 16 16 16 16 16 16 16 16 16 16 16	LOA	1.0	
	MSR I D	NO/	DAY	MAN ID#	TIM HR	_	1 0250	I -0#	0 SIZE	4	MAN ID#	1 '	IME AIM	1.	useo	NCH ID	SIZE	٠	N ID #	TII HR	ME MIN	0.00	ין ח	SIZE 0	TYP	
IF SO WINCH ID	0	JAN	00		000	00						00	000	5	-			0		00	00		- -			0
l.Wet lab to water	ı		00) O	00	00	O	o'o	ဝြ) '	þ	þc	000) 110	þ	þ	ojc	1	O	00	00	ไหวไ	S	ס'ְכ	0	
1000 5175 5005	2 .	O MA	00	1	00	00	YESO	9	00) 2	O	OC	00) YE	O	O	၁ဝ		1 1	00	00	\vs\ -	\sum_{i}	၁ဝ	0	2
LOAD SIZE CODE	3	APR	00		[,	00		1	1 1	1	O	-	000	- 1		O	၀ဝ	3	O	S	00		C	၇၀	O	3
2. 15-30LBS 3. 35-70 LBS	400	MAY	4	0	ì	00			00]	P		000	-		(၁ဝ	1	0	0	00			¦O	ျ	4
4. 70-100 LBS 5. HOLBS OR MORE	5	050	0			00			00	!		į.	000)			၁ဝ	5			00			Ю	0	5
LOAD TYPE	6	10r			0	0			0) 6		C		2			0	6		O	O			-	0	6
1. HAR EQUIPMENT		AUG			0	0			0		`	C					P	7		0	ୃଠ				0	7
3. EQUIP. 3. MARINE RESECT	8	SEP			0	Q				8	1	C) ()				8		0	0					8
SPECIMENS 4. PRESSURE POT	O	l	0		0	0		1	1 1	9)	C) ()	l		1	9		0	0		1	I	(ا9 ر

Date_

Man	· · · · · · · · · · · · · · · · · · ·	or n Yes	ot No	If used which		l Type of	
ID	Time	[Check	one]	Winch	1oad	load	
							Winch ID Code
							Wet lab to water = 1
					- · · · · · · · · · · · · · · · · · · ·	-	Bridge to crew = 2
							Environment control system to wet lab = 3
							Kind of Load Code
							 Habitat Equipment Marine Research Equipment
				-			3. Marine Research Specia 4. Pressure Pot
							5. Food stores6. Other
							7. Don't know
							•
					·		
				<u>,</u> ,			•
-							
		<u> </u>	<u> </u>				

POTENTIAL WINCH USAGE

Winch used

NUMBER OF PIECES OF MAIL

This measure will be collected off-line using the template. illustrated below. It focuses on the number of pieces of mail each aquanaut gets each day and the number of letters he sends out each day. At the time of writing these instructions, this information source was not yet fully defined. It was felt, however, that a centralized location for incoming and outgoing mail at the base camp would be available and such data recorded for us by an accommodating official. The observer task would simply be to transfer the data to the punch card using the appropriate template making sure to fill in the date and measure identification number.

NIO	\sim	DIECEC	\circ	8.8.0.11	
NU	UF	PIECES	()	IVIAII	

		TO OF TROOPS OF MAIL																			
	#42			MAI	1#1	MAN	MAN#2		MAN#3		# 4		•	MAN	ı#ı	MAN#2		MAN#3		MAN	#4
BAA II		DEC	:		ı	1	ı		ı		, '	IDEC			I	1	1			۱ ا	0
IN: NO OF PIECES	MSR ID#	I	DAY	IN	OUT	IN	OUT	IN	OUT	IN	OUT	NCA	DAY	IN	OUT	IN	ОПТ	IN	OUT	IN	001
, meee	0	1	OQ	00	00	00	00	00	00	00	$[O \ O]$	ıl l	00	00	၁ ဝ	၁၀	00	00	၁၀	၁၀	0
OUT : NO OF PIECES	ŀ	O FEB	00	00	00	o o	00	00	00	00	00	O (0 0	ပြု	၁၀	ပြ	၁၁	ဝဝ	00	၁ ၀	00
OUTGOING	5 O	0	ဝြ	00	00	00	00	00	00	ဝဝ	$[O \ O]$	· ^ ·	0 0	00	ဝဝ	၁၀	၁၀	၁၀	00	၁၀	0€
•	3	O	00	0	0	0	0	0	0	0	0	O () O	0	0	0	Ģ	0	O	ဝ	C
,	40	0	0	0	0	0	0	0	0	0	0	O	Q	0	0	0	0	0	0	0	C
	5	O JEIN	_	0	0	0	0	0	0	0	0		0	0	0	0	0	0	0	O	¢
: 	6	O	0	0	0	0	0	0	0	0	0		O	0	0	0	0	0	0	0	C
	7	AUG	0	0	0	0	0	0	0	· 0	0	AUG	0	0	0	0	0	0	0	0	Ç
O	8	SEP	0	0	0	0	0	0	0	0	O	SEPT	0	0	0	0	0	0	0	0	(
	9 Q	ا	0	0	0	0	0	0	0	0	0		0	C	0	0	0	0	C	0	0

SICK CALL

This measure can be collected on-line with the template or by off-line reference to the medical officer's records with the information punched directly onto IBM punch cards. It focuses on the individual aquanaut's illnesses during the mission and the amount of incapacitations he suffers, if any, in terms of hours. A decision on the actual source of this data will have to be delayed until the mission actually starts.

#46			•		SICK	СA	LL			•			
MSR DE	DAY	MAN ID#	DIAGNOSIS CODE	DIAGOSIS	NO. OF HRS. IN CAPAC.		.11 1	DAY	MAN ID#	DIAGNOSIS CODE	DIAGNOSIS	NO. OF HRS IN- CAPAC.	
O Ja	00		RESPIRATORY	O	00	0	11	oc		RESPIRATORY	0	00	0
I C	$\mathcal{O}[\mathcal{O}]$	O	GASTROINTESTINAL	0	00	1	O C	20	O	GASTROINTESTINAL	0	00	1
5 Ç	00	O	CARDIO/ASCULAR	0	00	2	0	OC	0	CARDIOVASCULAR	ဝ	၁၀	2
3 0	00	O	CENT NERVOUS SYS.	O	00	3	O	00	O	CENT HERVOUS SYS.	O	00	3
4 0 C	1 -	O	MUSCULAR	'O	00	4	O	0	O	MUSCULAR	0	၁၀	4
5 C	0		SKELETAL	O	ဂဝ	5	\mathbf{C}	0		SKELETAL	0	00	5
6 0 0			SKIN	O	00	6	Ö	0		SKIN	0	00	6
7			TRAUMA	O	00	7	JUL	0		. TRAUMA	0	00	7
8			OTHER	O	00	8	AUG	0		OTHER	O	00	8
9 .			DON'T KNOW	O	00	9	SEF	0		DON'T KNOW	0	00	9

MOOD ADJECTIVE CHECKLIST TRANSFER TEMPLATE

The template is to be used purely as a means of transferring paper and pencil checklist information generated by the aquanauts to IBM cards. Such a record will be done off-line and as a result is not critical in the sense of when it is actually transferred onto IBM cards.

There are 24 adjectives which the aquanauts respond to by marking the quality and strength of their response on a scale of 1 to 11. Transfer these responses in appropriate order to the IBM cards.

See copy of MACL in appendix, page 43.

#4	3	M	000) ,	Δι	JE	Ċ	Τľ	VE	-	Ch	НE	<u>C</u>	Κl	_ {	ST		TF	$\mathbb{R}^{\mathcal{L}}$	11	İŚI	FE	ER) :	TE	ΞŃ	1P)L.	ΔΤ	Ξ Ε	
" o	•••	DEC		MAN	-	, ,	2	3	4	5	6	7	8	9	10	11	12	İ	13	14	15	16	17	18	19	20	21	22 	23 	24 	
	MSR ID#			Б #	11	0	C	O	0	0	0	0	0	0	O	0	0	H	0	0	0	0	0	0	0	0	0	0	0	0	11
0		ост	00	•	10	0	0	O	O	0	0	O	o	0	0	0		10	0		o,	o	o	0	0	0	0	0		0	10
I		O FEB	00	0	1	O	O	O	O	0	0	0	o	O	0	o	0	1	О	o'	o¦	o	o	o	0	0	0	0	o!	0	1
2		Ö	OC	O	2	O	O	0	O	0	<u>'</u> 0'	0	o		0	O	0	2	0	o	o¦	o!	o,	ဂ	0	0	ြ	o	O	0	2
3	0	O	00	0	3	$\left \mathbf{O} \right $	O'_{i}	O	0	0	o!	o	ြ	o	O	O	0	3	0	O	O	o¦	0	o'	0	0	O	o.	o!	0	3
4	0	0	O	0	4	0	0	0	o'	0	o'		0		o	0	0	4	0	o'	o¦	o¦	0	o,	O	0	0	o'		\circ	4
5		Ŏ	0	0	5	[O	O,	C	o	0	0	O	0	0	O	0	0	5	O	o l	ဝ	o¦	o¦	o¦	O	0	o,	o.	0		5
6		EO 5	O	O	6	o'	O	0	O	0	O	0	O	0	\circ	\circ	O	6	O,	O¦	ο¦	O	ဝ¦	o¦	o,	ြ	\circ	0	o¦		6
7		AUG	0	ဂ	7	O	O	O	0	O	0	0	O	O	0	O	ဝ	7	O	O¦	ဝ	οį	o¦	o¦	၁	0	O.	o,	0	\circ	7
8		SEP	0		8	O	o¦	O,	O,	0	O	0	0	0	O	O	\circ	S	O	၀	O¦	ျှ	οļ	O.	C¦	o¦	\circ	္'	o¦	\circ	8
9 O		SLP	O		9	O	O.	O:	0	O.	o '	0	o'	0	0	0	o¦	9	O !	O.	0	0	ob	0	O,	\circ	0	o'	0		9

APPENDIX

MEASURE PRIORITIES LISTING

LOCATION RECORD

CONVERSATIONAL RECORD

TRANSIT RECORD

MEAL BEHAVIOR

DIVE RECORD

COMMUNICATION WITH TOPSIDE

TIME OF ARISING TIME OF RETIRING

EEG ELECTRODE HOOKUP

ELECTRONICALLY MONITORED FACILITIES USAGE

PRESSURE POT USAGE

BIOMEDICAL MONITORING

ADHERENCE TO WATCH

MAINTENANCE OF SELF/HABITAT

POTENTIAL WINCH USAGE

PIECES OF MAIL

SICK CALL

MOOD ADJECTIVE CHECKLIST

GLOSSARY

В Bridge-one of the four major habitat compartments. The command center of the habitat.

CQ Crew Quarters-another habitat compartment. Primarily a living area complete with sleeping, eating, and recreative facilities.

Data Specified information

Data Gathering together certain specified information. Collection Can be recorded using information recorder or checklist from TV monitor, records kept by others, Franklin Counter, etc.

4 pairs of button switches in the habitat near ingressegress hatchway. Each aquanaut manually activates one switch when entering the water and its' cousin when entering the habitat.

Diving Aquanaut responsible for monitoring from within the Officer | habitat the safety and activity of the divers in the water. He is in command during an emergency.

> Environmental control system. This compartment in the habitat, also known as the engine room, contains the greater majority of the life support systems.

Usually referring to the particular organization of data to be collected on the information recorder template.

This piece of equipment mounted on a rack is activated by electronic pulses generated by certain switches being turned on or off in the habitat or topside.

Earphone sets, one in each aquanaut's bunk for private listening to entertainment facilities (TV, radio). When the headset is in use, a microswitch will activate the counter.

The punch card; manila colored card covered with a pattern of numbers, one per preperforated section.

Diver Pane1

ECS

Format

Franklin Counter

Headsets

IBM card


Glossary (continued)

WL

Monitor As a noun: either the television receiver or the behavioral observer. As a verb: observing, taking note of behavior. Off-line After the fact. Usually used in describing the recording of some kind of behavior at some other time than when it is actually occurring. On-line Used to describe the recording of behavior while it is happening in distinction to off-line recording. Overlay Synonymous with template (see template). Punch card Synonymous with IBM card. A time frame during which recording or collecting Recording Period data is actually going on. Sampling A period of time within which an observer is sensitized Period to measure a particular kind of behavior, if and when it occurs within those time limits. Standby The aquanaut responsible for going into the water to diver assist a diver in trouble. Templates The information cards containing the behavioral measures punched onto IBM cards. WAT Abbreviation for water

research area of the habitat.

Wet lab - a major habitat compartment offering access to the sea, and serving as the primary scientific and



INSTRUCTIONS FOR USE AND CARE OF THE IBM INFORMATION RECORDER

- 1. When the observer finishes recording a measure, he should unload the punch card immediately and reload with a fresh, unused card.
- 2. One single card information recorder will be used only for the location record. One double card recorder will be employed in collecting transit records only. In both cases the template or overlay, as it sometimes called, will remain in the recorder permanently. Each of the other templates should be removed from the recorder immediately after the particular measure's information has been punched.
- 3. When reloading, and before punching, insure that the slide table holding the punch card is firmly in place.
- 4. Be sure to punch identifying information right away, such as measure ${\bf ID}$ #, date, etc.
- 5. While punching information, be methodical. Check yourself for errors. As you become more practiced, try to increase your speed to prevent staleness. This will also allow you to record the maximum amount of accurate data.
- 6. When removing the punched IBM card from the recorder, inspect the backside of the card for punched sections which did not completely separate from the card. If time is of essence, you may delay this check until a slow period then flip through a stack of cards. Often just riffling through a stack of cards will shake loose any dangling chads.
- 7. Each observer should use two of the four sections of the card file nearest him. The outside section should hold punched cards, the inner section, the fresh cards.
- 8. Because the templates are so few and crucial to the data collection program, extra care in handling them will always be exercised. Of special concern is sliding the template into and out of the recorder. Also some thought should be given to punching only in the holes in the template maintaining the good condition of the overlay surface.
- 9. Occasionally the slide should be removed and the rubber tracks cleared of chads with the stylus. Less frequently the chad reservoir will need emptying.
- 10. If you made an error:
 - 1. At or near the beginning of the card: remove the card and punch a fresh one.

2. Toward the middle or beyond: open the slide, circle in red the correct punch on the errored columns, return slide and punch rest of data. Later off-line this card can be reproduced and until then should be held out from the punched card file.

WHAT CONSTITUTES BIOMEDICAL MONITORING

The medical doctors responsible for the well being of the aquanauts, and project scientists vitally interested in particular human physiological systems have developed a biomedical program which monitors certain tests of health and physiological performance. Since no one but the aquanauts themselves will be in the habitat over the 60-day diving period, they will necessarily handle the bulk of such testing themselves. Although a few measures may be self administered, the majority will require another aquanaut's assistance. Thus, who assists whom has significance for the psychological observer recording these measures.

This section is directed at describing each of the four primary measures to be accomplished during the dive period. To this end bacteriological count, hematological studies, ventilatory function and vital sighs are outlined below.

Bacteriology

Samples Skin swab, ear swab, nasopharynx swab and

rectum swab, plus one fecal sample and one

aerobiological sample. Habitat wall swab.

Collection Self

Duration Approximately 15 minutes/man/

Time of day Uncritical

Equipment Specimen tubes, swabs, rack, petrie plates.

standard air sampler, fecal specimen containers.

Hematology

Blood Sample

Collection By another

15 minutes/man/every 7th day Duration

Wednesday early morning Time of day

Equipment Syringes, needles, tubes, tourniquet, sponges,

urine sample container.

Ventilation

Samples

*Spirometer paper record

Collection

Self; some assistance

Duration

One hour/man/week

Time of day

Wednesday mornings

Equipment

Spirometer with 0_2 line, $C0_2$ absorber,

and recording drum. Esophageal balloons.

Vital Signs

_Samples

Oral temperature (daily), body weight (daily), respiration rate (unknown), blood pressure (daily), pulse (daily), skin examinations (daily), ear-eye-nose-throat examinations (unknown), EKG monitoring (Once/week).

Collection

Assistance in obtaining blood pressure,

EKG, EENT and skin data.

Duration

Approximately 2 1/2 hours/aquanaut/week

Time

After dinner, except EKG, Wed. morning.

Equipment

Sphygmomanometer, stethescope, scale, oral probe, amplifier, gulton temperature display and EKG amplifier, electrode set, electrode paste, ophthalmoscope, tongue depressors, symptom check list, underwater camera, film.

CONFIDENTIALITY

Each observer will be witness to many confidential events occurring in the habitat. Some of these will be of a highly personal nature to the aquanauts, others are internal to the project only. Maintaining the highest ethical standards are of utmost necessity for you as a psychological observer on Project TEKTITE I. To this end two restrictions will be placed on you.

1. Under no circumstances are you to talk with anyone other than Lt. Mach, Dr. Radloff or Dr. Zill about anything happening in the habitat or behavioral van unless directed to by one of these three investigators. This includes such people as newspaper and television reporters, visitors, congressmen and other dignitaries. Your stock answer to any such inquiries is:

"I have no comment. Please direct your inquiries to a behavioral scientist."

ABSOLUTELY NO VIOLATION OF THIS RULE WILL BE TOLERATED

2. You will undoubtedly see and hear things in the habitat as observer that would or could be termed confidential. Such things should not be discussed with even members of other observer teams. If there is doubt about confidentiality, consult an investigator. Events of importance to the behavioral program in your opinion should be discussed with an investigator. Some of these events may be listed in the unusual events log.

Name:	Date:	Time:	
	2000		

Below is a list of feelings people have. Show how you feel right now by circling the number closest to your feelings. Answer each question.

EXAMPLE: If you felt more than somewhat, but less than extremely concerned you would answer like this:

	answ	er ii	ke 1	cnis	•									
Con	cerned		1	2	2 3	4	5	;	6	7	8	(9)	10	11
		Not a	at a						Somewhat					Extremely
1.	FINE		1	2	? 3	4	5		6	7	. 8	9	10	11
		Not		a11					Somewhat		•	•		Extremely
2.	JITTERY		1	2	? 3	4	5	•	6	7	8	9	10	11
		Not a	at a	a11					Somewhat	•	•			Extremely
3.	ENERGETIC		1	2	? 3	4	5	,	6	7	8	9	10	11
		Not	at a	all		-			Somewhat					Extremely
4.	PLEASED		1	7	? 3	4	5	,	6	7	8	9	10	11
		Not a	at a	a11					Somewhat					Extremely
5.	AFRAID		1		? 3	4	5		6	7	8	9	10	11
		Not a	at a	all	_				Somewhat	-	_			Extremely
6.	SAD		'n		3	4	5	,	6	7	8	9	10	11
		Not a	at a	a11		•	_		Somewhat	•	•	_		Extremely
7.	VIGOROUS		1	2	? 3	4	5		6	7	8	9	10	11
• •		Not	at a	a11		·	_		Somewhat	•	•			Extremely
8.	GOOD		1	2	2 3	4	5		6	7	8	9	10	11
		Not a		_		•	•		Somewhat	•	· ·			Extremely
9.	ALERT	1130	1	2	? 3	4	5		6	7	8	9	10	11
٠.	TILI ENCL	Not			. ,	, 4			Somewhat	•	Ü		± 0	Extremely
10	TERRIFIED	1106		2	? 3	4	5			7	8	9	10	11
20.	IDMMITTED	Not			. ,	7	J		Somewhat	•	Ü	,	10	
11	CALM	NOL		2	? 3	4	5		6	7	8	9	10	Extremely 11
**	CALM	Not				4	,		Somewhat	•	0	9	10	
12	ALARMED	NOL		211	2 3	4	5		6	7	8	9	10	Extremely
14.	ALARMED	Not a	-			4	5		Somewhat	•	0	9	10	11
13	RESTLESS	NOL		2	? 3	4			6	7		9	10	Extremely
13.	KESILESS				. 3	4)			-	8	9		11
14	DESPERATE	Not	at a			 	5		Somewhat		·			Extranely
14.	DESPENSIE	37 - 4-	_	2	2 3	4	ر		6 0	7	8	9	10	11
15	LIVELY	Not	at a				<u> </u>		Somewhat					Extremely
1).	LIVELI	37 - h	_	. 1 1	2 3	4	5		6 Canada a ta	7	. 8	9	10	11
16	CUEEDINI	Not					E		Somewhat					Extremely
10.	CHEERFUL		1	2	2 3	4	5		6	7	. 8	9	10	11
17	TMCNOWN	Not			·				Somewhat 6					Extremely
1/.	INSECURE	•••			2 3	4	٥			7	8	9		11
3.0	ED TO: IOITINE	Not							Somewhat					Extremely
18.	FRICHTENED			2	2 3	. 4	5		6	7	8	9		11
30	1.307710	Not				,			Somewhat					Extremely
19.	ACTIVE		_	2	2 3	4	5		· 6	7	8	9		11
-	N/Xana.	Not							Somewhat					Extremely
20.	MISERABLE		1	2	2. 3	4	5		6	7	. 8	9		11
		Not							Somewhat					Extremely
21.	STEADY		1	2	2 3	4	5		6	7	8	9	10	11
		Not				· 			Somewhat			~		Extremely
22.	HAPPY		1	2	? 3	4	5		6	7	8	9	10	11
•		Not a							Somewhat					Extremely
23.	TIMID	-		2	.3	4	5		6	7	8	9	10	11
•		Not							Somewhat					Extremely
24.	OAESTOAED			2	2 3	4	5		6	7	8	9		11
		Not	at a	a11					Somewhat					Extremely

Research Assistant Team Shift Schedule

		T	I	M	E	
	6 - 10	10 - 14	14 - 18	18 - 22	22 - 2	2 6
1st week	. A	В	A	В	5	6
2nd week	В	C	В	С	1	2
3rd week	С	A	С	A	3	.4
4th week	· A	В	A	В	5	6

Team A Men 1&2 Team B Men 3&4

Team C Men 5&6